

EDITORIAL

Time to treat the climate and nature crisis as one indivisible global health emergency

Kamran Abbasi¹, Parveen Ali^{2,3,4}, Virginia Barbour⁵, Thomas Benfield⁶, Kirsten Bibbins-Domingo^{6,7,8}, Stephen Hancock⁹, Richard Horton¹⁰, Laurie Laybourn-Langton^{11,12}, Robert Mash^{13,14}, Peush Sahni^{15,16}, Wadeia Mohammad Sharief^{17,18,19,20}, Paul Yonga^{17,22}, and Chris Zielinski^{18,24*}

Over 200 health journals call on the United Nations, political leaders, and health professionals to recognize that climate change and biodiversity loss are one indivisible crisis and must be tackled together to preserve health and avoid catastrophe. This overall environmental crisis is now so severe as to be a global health emergency.

The world is currently responding to the climate crisis and the nature crisis as if they were separate challenges. This is a dangerous mistake. The 28th Conference of Parties (COP) on climate change is about to be held in Dubai while the 16th COP on biodiversity is due to be held in Turkey in 2024. The research communities that provide the evidence for the two COPs are unfortunately largely separate, but they were brought together for a workshop in 2020 when they concluded that: “Only by considering climate and biodiversity as parts of the same complex problem... can solutions be developed that avoid maladaptation and maximize the beneficial outcomes” [1].

As the health world has recognized with the development of the concept of planetary health, the natural world is made up of one overall interdependent system. Damage to one subsystem can create feedbacks that damage another—for example, drought, wildfires, floods, and the other effects of rising global temperatures destroy plant life, and lead to soil erosion and so inhibit carbon storage, which means more global warming [2]. Climate change is set to overtake deforestation and other land-use change as the primary driver of nature loss [3].

Nature has a remarkable power to restore. For example, deforested land can revert to forest through natural regeneration, and marine phytoplankton, which act as natural carbon

stores, turn over one billion tons of photosynthesizing biomass every eight days [4]. Indigenous land and sea management has a particularly important role to play in regeneration and continuing care [5].

Restoring one subsystem can help another—for example, replenishing soil could help remove greenhouse gases from the atmosphere on a vast scale [6]. But actions that may benefit one subsystem can harm another—for example, planting forests with one type of tree can remove carbon dioxide from the air but can damage the biodiversity that is fundamental to healthy ecosystems [7].

The impacts on health

Human health is damaged directly by both the climate crisis, as the journals have described in previous editorials, and by the nature crisis [8–10]. This indivisible planetary crisis will have major effects on health as a result of the disruption of social and economic systems—shortages of land, shelter, food, and water, exacerbating poverty, which in turn will lead to mass migration and conflict. Rising temperatures, extreme weather events, air pollution, and the spread of infectious diseases are some of the major health threats exacerbated by climate change [11]. “Without nature, we have nothing”, was UN Secretary-General António Guterres’s blunt summary at the biodiversity COP in Montreal last year [12]. Even if we could keep global warming below an increase of 1.5 °C over pre-industrial levels, we could still cause catastrophic harm to health by destroying nature.

Access to clean water is fundamental to human health, and yet pollution has damaged water quality, causing a rise in water-borne diseases [13]. Contamination of water on land can

¹Editor-in-Chief, *British Medical Journal*, London, UK; ²Editor-in-Chief, *International Nursing Review*, Geneva, Switzerland; ³Professor of Nursing at Health Sciences School, University of Sheffield and Doncaster and Bassetlaw Teaching Hospitals, Aberdeen, UK; ⁴Lead, Sheffield University Interpersonal Violence Research Group, Sheffield, UK; ⁵Editor-in-Chief, *JAMA*, San Francisco, USA; ⁶Editor-in-Chief, *British Dental Journal*, London, UK; ⁷Editor-in-Chief, *JAMA*; ⁸Professor of Epidemiology and Biostatistics and Professor of Medicine, University of California, San Francisco, USA; ⁹Editor-in-Chief, *African Journal of Primary Health Care and Family Medicine*, Stellenbosch, South Africa; ¹⁰Editor-in-Chief, *National Medical Journal of India*, New Delhi, India; ¹¹Chatham House, London, UK; ¹²University of Exeter, Exeter, UK; ¹³Editor-in-Chief, *African Journal of Primary Health Care and Family Medicine*; ¹⁴Division of Family Medicine and Primary Care, Stellenbosch University, Stellenbosch, South Africa; ¹⁵Editor-in-Chief, *National Medical Journal of India*; ¹⁶Professor and Head, All India Institute of Medical Sciences (AIIMS), New Delhi, India; ¹⁷Editor-in-Chief, *Dubai Medical Journal*, Dubai, UAE; ¹⁸Director, Medical Education and Research Department, Dubai Health Authority, Dubai, UAE; ¹⁹President, Emirates Family Medicine Society, Dubai, UAE; ²⁰President, Family Medicine Scientific Council, Arab Board of Health Specialization, Dubai, UAE; ²¹Editor-in-Chief, *East African Medical Journal*, Nairobi, Kenya; ²²CA Medlyns Medical Centre and Laboratory, Nairobi, Kenya; ²³President-elect, World Association of Medical Editors (WAME), Lombardy, Italy; ²⁴Visiting Fellow, University of Winchester, Winchester, UK.

*Correspondence to Chris Zielinski: chris.zielinski@khealthalliance.org

DOI: 10.17305/bb.2023.9857

© 2023 Abbasi et al. This article is available under a Creative Commons License (Attribution 4.0 International, as described at <https://creativecommons.org/licenses/by/4.0/>).

also have far-reaching effects on distant ecosystems when that water runs off into the ocean [14]. Good nutrition is underpinned by diversity in the variety of foods, but there has been a striking loss of genetic diversity in the food system. Globally, about a fifth of people rely on wild species for food and their livelihoods [15]. Declines in wildlife are a major challenge for these populations, particularly in low- and middle-income countries. Fish provide more than half of dietary protein in many African, South Asian, and small island nations, but ocean acidification has reduced the quality and quantity of seafood [16].

Changes in land use have forced tens of thousands of species into closer contact, increasing the exchange of pathogens and the emergence of new diseases and pandemics [17]. People losing contact with the natural environment and the loss in biodiversity have both been linked to increase in noncommunicable, autoimmune, and inflammatory diseases and metabolic, allergic, and neuropsychiatric disorders [10, 18]. For Indigenous peoples, caring for and connecting with nature is especially important for their health [19]. Nature has also been an important source of medicines, and thus reduced diversity also constrains the discovery of new medicines.

Communities are healthier if they have access to high-quality green spaces that help filter air pollution, reduce air, and ground temperatures and provide opportunities for physical activity [20]. Connection with nature reduces stress, loneliness, and depression, while promoting social interaction [21]. These benefits are threatened by the continuing rise in urbanization [22].

Finally, the health impacts of climate change and biodiversity loss will be experienced unequally between and within countries, with the most vulnerable communities often bearing the highest burden [10]. Linked to this, inequality is also arguably fueling these environmental crises. Environmental challenges and social/health inequities are challenges that share drivers and there are potential co-benefits of addressing them [10].

A global health emergency

In December 2022, the biodiversity COP meeting agreed on the effective conservation and management of at least 30% of the world's land, coastal areas, and oceans by 2030 [23]. Industrialized countries agreed to mobilize \$30 billion per year to support developing nations to do so [23]. These agreements echo promises made at climate COPs.

Yet many commitments made at COPs have not been met. This has allowed ecosystems to be pushed further to the brink, greatly increasing the risk of arriving at "tipping points", abrupt breakdowns in the functioning of nature [2, 24]. If these events were to occur, the impacts on health would be globally catastrophic.

This risk, combined with the severe impacts on health already occurring, means that the World Health Organization (WHO) should declare the indivisible crisis of climate and nature as a global health emergency. The three pre-conditions for WHO to declare a situation to be a Public Health Emergency

of International Concern are that it: 1) is serious, sudden, unusual, or unexpected; 2) carries implications for public health beyond the affected State's national border; and 3) may require immediate international action [25]. Climate change appears to fulfill all of these conditions. While the accelerating climate change and loss of biodiversity are not sudden or unexpected, they are certainly serious and unusual. Hence, we call for WHO to make this declaration before or at the 77th World Health Assembly in May 2024.

Tackling this emergency requires the COP processes to be harmonized. As a first step, the respective conventions must push for better integration of national climate plans with biodiversity equivalents [3]. As the 2020 workshop that brought climate and nature scientists together concluded, "Critical leverage points include exploring alternative visions of good quality of life, rethinking consumption and waste, shifting values related to the human–nature relationship, reducing inequalities, and promoting education and learning" [1]. All of these would benefit health.

Health professionals must be powerful advocates for both restoring biodiversity and tackling climate change for the good of health. Political leaders must recognize both the severe threats to health from the planetary crisis as well as the benefits that can flow to health from tackling the crisis [26]. But first, we must recognize this crisis for what it is: a global health emergency.

NOTE: This editorial is being published simultaneously in multiple journals. For the full list of journals see: <https://www.bmjjournals.org/content/full-list-authors-and-signatories-climate-nature-emergency-editorial-october-2023>

Conflicts of interest: Authors declare no conflicts of interest.

Funding: Authors received no specific funding for this work.

Published online: 26 October 2023

References

- [1] Otto-Portner H, Scholes B, Agard J, Archer E, Arneth A, Bai X, et al. Scientific outcome of the IPBES-IPCC co-sponsored workshop on biodiversity and climate change [Internet]. 2021. Available from: <https://doi.org/10.5281/zenodo.4659159>.
- [2] Ripple WJ, Wolf C, Lenton TM, Gregg JW, Natali SM, Duffy PB, et al. Many risky feedback loops amplify the need for climate action. *One Earth*. 2023;6(2):86–91. <https://www.sciencedirect.com/science/article/abs/pii/S2590332223000040>. [Accessed 27th June 2023]. <https://doi.org/10.1016/j.oneear.2023.01.004>.
- [3] European Academies Science Advisory Council. Key messages from European Science Academies for UNFCCC COP26 and CBD COP15 [Internet]. 2021. Available from: <https://easac.eu/publications/details/key-messages-from-european-science-academies-for-unfccc-cop26-and-cbd-cop15>. [Accessed 1st October 2023].
- [4] Falkowski P. Ocean science: The power of plankton [Internet]. London: Nature Publishing Group; 29 Feb 2012 [cited 27 Jun 2023]. Available from: <https://doi.org/10.1038/483S17a>.
- [5] Dawson NM, Coolsaet B, Sterling EJ, Loveridge R, Gross-Camp ND, Wongbusarakum S, et al. The role of Indigenous peoples and local communities in effective and equitable conservation. *Ecol Soc* 2021;26(3):19. <https://doi.org/10.5751/ES-12625-260319>.
- [6] Bossio DA, Cook-Patton SC, Ellis PW, Fargione J, Sanderman J, Smith P, et al. The role of soil carbon in natural climate solutions. *Nat Sustain* 2020;3:391–8. <https://doi.org/10.1038/s41893-020-0491-z>.

- [7] Levia DF, Creed IF, Hannah DM, Nanko K, Boyer EW, Carlyle-Moses DE, et al. Homogenization of the terrestrial water cycle. *Nat Geosci* 2020;13:656–8. <https://doi.org/10.1038/s41561-020-0641-y>.
- [8] Atwoli L, Erhabor GE, Gbakima AA, Haileamlak A, Kayembe Ntumba J-M, Kigera J, et al. COP27 climate change conference: urgent action needed for Africa and the world. *BMJ* 2022;379:02459. <https://doi.org/10.1136/bmjh-2022-010965>.
- [9] Atwoli L, Baqui AH, Benfield T, Bosurgi R, Godlee F, Hancocks S, et al. Call for emergency action to limit global temperature increases, restore biodiversity, and protect health. *BMJ* 2021;374:n1734. <https://doi.org/10.1136/bmj.n1734>.
- [10] WHO, the Secretariat of the Convention on Biological Diversity. Connecting global priorities: biodiversity and human health: a state of knowledge review [Internet]. 2015. Available from: <https://www.cbd.int/health/SOK-biodiversity-en.pdf>. [Accessed 1st October 2023].
- [11] Magnano San Lio R, Favara G, Maugeri A, Barchitta M, Agodi A. How antimicrobial resistance is linked to climate change: an overview of two intertwined global challenges. *Int J Environ Res Public Health* 2023;20:1681. <https://doi.org/10.3390/ijerph20031681>.
- [12] Jelskov U. ‘Without nature, we have nothing’: UN chief sounds alarm at key UN biodiversity event [Internet]. UN News 2022. Available from: <https://news.un.org/en/story/2022/12/1131422>. [Accessed 1st October 2023].
- [13] WHO. State of the world’s drinking water: an urgent call to action to accelerate progress on ensuring safe drinking water for all [Internet]. 2022. Available from: <https://apps.who.int/iris/rest/bitstreams/1474551/retrieve>. [Accessed 1st October 2023].
- [14] Comeros-Raynal MT, Brodie J, Bainbridge Z, Choat JH, Curtis M, Lewis S, et al. Catchment to sea connection: impacts of terrestrial run-off on benthic ecosystems in American Samoa. *Mar Pollut Bull* 2021;169:112530. <https://doi.org/10.1016/j.marpolbul.2021.112530>.
- [15] Assessment report on the sustainable use of wild species [Internet]. Aug 2022 Available from: <https://www.ipbes.net/sustainable-use-assessment>.
- [16] Falkenberg LJ, Bellerby RGJ, Connell SD, Fleming LE, Maycock B, Russell BD, et al. Ocean acidification and human health. *Int J Environ Res Public Health*. 2020;17; 4563 <https://doi.org/10.3390/ijerph17124563>.
- [17] Dunne D. Climate change ‘already’ raising risk of virus spread between mammals [Internet]. 2022. Available from: <https://www.carbonbrief.org/climate-change-already-raising-risk-of-virus-spread-between-mammals/>. [Accessed 1st October 2023].
- [18] Altıveş S, Yıldız HK, Vural HC. Interaction of the microbiota with the human body in health and diseases. *Biosci Microbiota Food Health* 2020;39:23–32. <https://doi.org/10.12938/bmfh.19-023>.
- [19] Schultz R, Cairney S. Caring for country and the health of Aboriginal and Torres Strait Islander Australians. *Med J Aust* 2017;207(1):8–10. <https://doi.org/10.5694/mja16.00687>.
- [20] MacGuire F, Mulcahy E, Rossington B. The Lancet countdown on health and climate change – policy brief for the UK [Internet]. 2022. Available from: https://s41874.pcdn.co/wp-content/uploads/Lancet-Countdown-2022-UK-Policy-Brief_EN.pdf. [Accessed 1st October 2023].
- [21] Wong FY, Yang L, Yuen JWM, Chang KKP, Wong FKY. Assessing quality of life using WHOQOL-BREF: a cross-sectional study on the association between quality of life and neighborhood environmental satisfaction, and the mediating effect of health-related behaviors. *BMC Public Health* 2018;18:1113. <https://doi.org/10.1186/s12889-018-5942-3>.
- [22] Simkin RD, Seto KC, McDonald RI, Jetz W. Biodiversity impacts and conservation implications of urban land expansion projected to 2050. *Proc Natl Acad Sci USA* 2022;119:e2117297119. <https://doi.org/10.1073/pnas.2117297119>.
- [23] Secretariat of the Convention on Biological Diversity. COP15: nations adopt four goals, 23 targets for 2030 in landmark UN biodiversity agreement [Internet]. Convention on Biological Diversity. 2022. Available from: <https://www.cbd.int/article/cop15-cbd-press-release-final-19dec2022>. [Accessed 1st October 2023].
- [24] Armstrong McKay DI, Staal A, Abrams JF, Winkelmann R, Sakschewski B, Loriani S, et al. Exceeding 1.5°C global warming could trigger multiple climate tipping points. *Science* 2022;377:eabn7950. <https://doi.org/10.1126/science.abn7950>.
- [25] WHO. Annex 2 of the international health regulations (2005). Geneva: WHO; 2005.
- [26] Consultation on Australia’s First National Health and Climate Strategy [Internet]. Available from: <https://www.health.gov.au/news/consultation-on-australias-first-national-health-and-climate-strategy>. [Accessed 1st October 2023].